

RAN-2106000102030101

2nd Year M.B.B.S. Examination January - 2023

Microbiology: Paper - I



Time: 5 Hours	1 Iotal Marks: 100
सूथनाः / Instructions	3. Buoteria are uniformity s
(1) નીચે દર્શાવેલ 🖝 નિશાનીવાળી વિગતો ઉત્તરવહી પર અવશ્ય લખવી. Fill up strictly the details of 🖝 signs on your answer book Name of the Examination:	Seat No.:
	112 1
Name of the Subject :	als antweller and to liA
Microbiology : Paper - I	- 160130701807013
Subject Code No.: 2106000102030101	Student's Signature

- (2) Draw a label diagram wherever required with blue pen/pencil only.
- (3) Short notes 100-150 words
- (4) Write heading of each question properly.

SECTION - IA

(General Microbiology and Immunology)

- Que. 1 Define Hypersensitivity reactions, Classification of Hypersensitivity reaction, write in detail about mechanism of type 1 hypersensitivity reactions, write methods for detection of Type 1 hyper sensitivity reactions. (12 marks)
- Que. 2 Write notes. (any four)

- a. Principle, applications and modifications of Polymerase Chain Reaction in patient care.
- b. Classification, types and diagnostic modalities of Immunodeficiency diseases.
- c. Define vaccine. Describe National Immunization Schedule and the types of vaccines used in it.
- d. Moist heat sterilization: methods, principle, application and control.
- e. Mechanisms of transferable drug resistance in bacteria.

Que. 3	Multiple Choice Questions.			(10 Marks)
. // 1.	Which of the following is absorbed	ent in Gran	n negative bacteria?	
	a. Peptidoglycan	b.	LPS	
	c. Teichoic acid	d.	Porin Channels	
2.	Resolution power of microsco	pe can be i	mproved by using?	
	a. Oil	b.	Stain	
	c. Lenses	d.	Condenser	essent to
3.	Bacteria are uniformly stained curve?	in which o	of the following phase of	of growth
6. 13	a. Lag phase	b.	Log phase	
Y	c. Stationary phase	d.	Declining phase	
4.	All of the following are basic	steps of PC	R cycle EXCEPT:	0.8 ss. 7 ° 5 ss
	a. Denaturation	b.	Amplification	vooinidotailit w
	c. Extension	d.	Gel documentation	
5.	The antibodies detectable in m	others mill	k are	
	a. IgG	b.	IgA	Short seen a seed
	c. IgG & IgA	d.	IgG, IgA & lgM	
6.	If the infection occurs at a muc geographic area, it is known as		ate than usual in a parti	cular
	a. Epidemic	b.	Endemic	
	c. Hyper endemic	d.	Sporadic	
7.	Active acquired immunity has	following	features EXCEPT	20012301
	a. It involves active function	ning of hos	st's immune system	
	b. It is long lasting	CHARLES TO	(any lough and) an	
	c. There is no latent period			A. Principles
	d. It is associated with imm	unological	memory	
8.	A child with a history of repeti show an increase in the level o		nal worm infestation is	likely to
	a. IgG	b.	IgM	
	c. IgE	d.	IgD	
9.	Type of hypersensitivity reaction	on in myas	thenia gravis is:	
	a. Type I	b.	Type II	
	c. Type III	d.	Type IV	

[2]

RAN-2106000102030101]

[Contd. **2**

- 10. Application of skin graft for the second time from the same donor will result in:
 - a. First set rejection
- b. Second set rejection

c. Both

d. None



(Infection of Blood stream, Cardiovascular system, Gastrointestinal tract, Hepatobiliary system)

- Que. 1 A young adult female was admitted to the hospital with intense headache, abdominal discomfort for past 5 days. She had also developed fever which is of remittent type with gradual rise in a step ladder fashion. On examination, she was toxic with temperature of 101°F, tongue was coated and mild splenomegaly was present. (12 marks)
 - a. What is the most probable etiological diagnosis?
 - b. Describe the pathogenesis of this condition.
 - Explain the choice of test, sample collection and laboratory diagnosis.
 of the condition.
 - d. Suggest preventive measures for the disease.

Que. 2 Write notes. (any four)

 $(4 \times 7 = 28 \text{ marks})$

- a. Hepatitis B virus: pathogenesis, laboratory diagnosis and prevention
- b. Mycotic food poisoning.
- d. Pyrexia of unknown origin: definition, causes and diagnostic test used
- e. Two common hemo parasitic infections with pathogenesis and laboratory diagnosis of any one of them.
- f. Importance of effective communication skill in Doctor Patient relationship.

Que. 3 Multiple Choice Questions

(10 Marks)

- 1. Most common agent causing native valve endocarditis is:
 - a. S.aureus

- b. S.epidermidis
- c. Viridans streptococci
- d. Enterococci
- 2. Which of the following infections causes Megaloblastic anemia:
 - a. Babesia microti
- b. Diphyllobothrium latum
- c. Bartonella bacilliformis
- d. Leishmania donovani

. Merozoite . Trophozoite	b. d. sible for b. d. aveler's b. d.	Enteroaggregative E. Coli Non Typhodal salmonella
Merozoite Trophozoite Which of the following is response. HBsAg HBcAg ingle most important agent of tra Enterotoxigenic E. coli Campylobacter jejuni Most common viral cause of gasta	b. d. sible for b. d. aveler's b. d.	Sporozoite Gametocyte transmission of HBV infection: HBeAg HBV DNA diarrhea is: Enteroaggregative E. Coli Non Typhodal salmonella tis is: Norwalk virus
Trophozoite Which of the following is response. HBsAg HBcAg ingle most important agent of trace. Enterotoxigenic E. coli Campylobacter jejuni Most common viral cause of gasta. Rotavirus	b. d. aveler's b. d. roenteri	Gametocyte It transmission of HBV infection: HBeAg HBV DNA Idiarrhea is: Enteroaggregative E. Coli Non Typhodal salmonella Itis is: Norwalk virus
. HBsAg . HBcAg ingle most important agent of tra . Enterotoxigenic E. coli . Campylobacter jejuni Most common viral cause of gasta . Rotavirus	b. d. aveler's b. d. roenterib.	HBeAg HBV DNA diarrhea is: Enteroaggregative E. Coli Non Typhodal salmonella tis is: Norwalk virus
ingle most important agent of tra Enterotoxigenic E. coli Campylobacter jejuni Most common viral cause of gasta Rotavirus	d. aveler's b. d. roenteri	HBV DNA diarrhea is: Enteroaggregative E. Coli Non Typhodal salmonella tis is: Norwalk virus
ingle most important agent of tra Enterotoxigenic E. coli Campylobacter jejuni Most common viral cause of gasta Rotavirus	b. d. roenteri	diarrhea is: Enteroaggregative E. Coli Non Typhodal salmonella tis is: Norwalk virus
Enterotoxigenic E. coli Campylobacter jejuni Most common viral cause of gasta Rotavirus	b. d. roenteri b.	Enteroaggregative E. Coli Non Typhodal salmonella tis is: Norwalk virus
Campylobacter jejuni Most common viral cause of gasta Rotavirus	d. roenteri b.	Non Typhodal salmonella tis is: Norwalk virus
Most common viral cause of gasti . Rotavirus	roenteri b.	tis is: Norwalk virus
. Rotavirus	b.	Norwalk virus
. Adenovirus	d.	Henadnavirus
		Trepudituvitus
		examination
Which of the following route has	highest	rick of transmission of HIV:
		Blood product
. Needle/syringe	d.	Mother to fetus
Definitive host for Echinococcosi	s is:	
Man	b	Dog
Sheep	d.	Pig Marson &
	Stool for routine and micros Stool concentration techniq /hich of the following route has Sexual Needle/syringe refinitive host for Echinococcosi Man	Stool for routine and microscopic education technique Which of the following route has highest Sexual b. Needle/syringe d. Pefinitive host for Echinococcosis is: Man b.

3. Antibodies against which of the following antigen appear in typhoid carrier:

Vi antigen

O antigen



02

RAN-2106000102030102

2nd M.B.B.S. Examination January - 2023

Microbiology: Paper - II

Tim	e: 3 Hours]	[Total Marks: 10
સૂચન	u:/Instructions	
(1)	નીચે દર્શાવેલ 🖝 નિશાનીવાળી વિગતો ઉત્તરવહી પર અવશ્ય લખવી. Fill up strictly the details of 🖝 signs on your answer book	Seat No.:
	Name of the Examination: 13001 1091100 21 119011112 2011/10	SILL TO COSTAW.
	□ 2 nd M.B.B.S.	a. Multibaciti
	Name of the Subject :	I unoechemi
	Microbiology : Paper - II	an interpretation of the control of
	Subject Code No.: 2106000102030102	Student's Signature
(2)	Draw a label diagram wherever required with blue pen	/pencil only.
(3)	Short notes 100-150 words.	
(4)	Write heading of each question properly.	

Section - II A

(Skin and soft tissue infection, Musculoskeletal and respiratory system)

- Que. 1 A 35 year old female from a village of Bihar came to the hospital with history of fever on and off for the past one year and recently developed unilateral swelling of the left lower limb. Her blood sample was sent for peripheral blood smear examination which revealed worm like structures, 240 um in length with pointed tail tip. (12 marks)
 - a. Name the disease and its etiological agent.
 - b. Describe the life cycle, pathogenesis and laboratory diagnosis of this condition.
 - c. Explain prevention and treatment of this clinical condition.

Oue. 2 Write notes (any four)

- a. Etio-pathogenesis, laboratory diagnosis and complication in a man with necrotic limb wound that crepitates following a road traffic accident.
- b. Fever with rash in a child: four causative organisms and lpathogenesis, aboratory diagnosis and prevention of any one
- c. Hospital acquired Infections: types, risk factors and preventive measures.
- d. Pathogenesis and Laboratory Diagnosis of Madura foot.
- e. COVID 19: Laboratory Diagnosis and Vaccines.

Multiple Choice Questions. Que. 3

1. Which of the following statement is correct about lepromatous leprosy:

d.

- Multibacillary
- b. CMI is normal
- Langerhans cells are found C.
- Positive lepromin test
- 2. Survival of M. tuberculosis inside the macrophages is due to:
 - Inhibition of entry into the host cell
 - Inhibition of phagosome-lysosome fusion b.
 - Inhibition of entry into the phagosome C.
 - d. Inhibits degradation by lysosomal enzymes
- 3. Ecthyma gangrenosum is caused by:
 - Pseudomonas b. Brucella

Bordetella

d. H. influenzae

- 4. Which of the following protein is used for Serotyping of Streptococcus pyogenes:
 - M protein

lame the discontinuous T protein all off ome

R protein

d. Carbohydrate antigen

- 5. CAMP test is useful in identification of:
 - S. pyogenes

S. agalactiae

Viridans streptococci C.

d. S. pneumoniae

- 6. Gram-stain morphology of Bacillus anthraces is:
 - Tennis racket appearance

Bamboo stick appearance

Drum stick appearance

d. Spectacle glass appearance

- 7. Which viral infection is responsible for Subacute Sclerosing Pan Encephalitis (SSPE): management and administration of the second Mumps b. Measles Rubella d. Influenza 8. Which of the following is vector for leishmaniasis:

a. Sandfly b. Reduvid bug

Tsetse fly C:

d. Anopheles mosquito

9. Which of the following fungus DOES NOT infect nail:

Trichophyton

b. Microsporum

Epidermophyton C.

d. Candida albicans

- Rhinosporidiosis is characterized by all of the following EXCEPT-
 - It is caused by a fungus.
 - The fungus is usually found in dirty waters.
 - c. It manifests as polyps that bleed easily.
 - d. It can be cultured easily in laboratory.

Section - IIB (CNS, Genitourinary, HAI, Miscellaneous)

Que. 1 A 25 yr. old man presented with painless ulcer with hard base on penis. He had a history of sex with multiple partners. On examination, inguinal lymph nodes were enlarged, discrete, non-tender and rubbery. The blood specimen was collected and sent to the laboratory for serological test.

- What is the clinical diagnosis and possible causative agent? Justify.
- b. Explain the pathogenesis and laboratory diagnosis of this condition.
- Enlist three possible etiological agents in case the man had multiple painful genital ulcers.

Que. 2 Write notes. (any four)

- a. Laboratory Diagnosis, treatment and prevention of tetanus.
- b. Encephalitis: four causative agents and pathogenesis with laboratory diagnosis of anyone.
- Antimicrobial stewardship program: concept and different strategies used in the program.
- Non-tuberculosis Mycobacterium: classification and significance as human pathogen.
- Consent: Definition, types and its importance in autonomy.

a. c. 2. W a. c. 3. W a. c. 4. W a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c.	Mycoplasma hominis Which of the following is NOT very mVDPV	b. d.	
c. 2. W a. c. 3. W a. c. 4. W a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.	Mycoplasma hominis /hich of the following is NOT verification.	d.	
 W a. c. W a. c. W a. c. W a. c. W fo a. c. W co a. c. Tha. c. No bi a. 	/hich of the following is NOT verification mVDPV		Candida albicans
a. c. 3. W a. c. 4. W a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.	mVDPV	accine-	
c. 3. W a. c. 4. W a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.	mVDPV iVDPV		derived poliovirus (VDPVs):
c. 3. W a. c. 4. W a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.	iVDPV	b.	cVDPV
 a. c. 4. W a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a. bi a. c. 		d.	VDPV vit paloal a magazine
 a. c. 4. W a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a. bi a. c. 	hich of the following fungi are	associa	ted with zygomycosis?
 W a. c. W a. c. W fo a. c. W co a. c. Tha. c. No bi a. 	THE SHALL SHE WAS AS A	b.	Rhizopus
a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.	or to the state of	d.	All of the above
a. c. 5. W a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.	which of the following pigment is	s diagn	ostic of Pseudomonas aeruginosa?
 W a. c. W fo a. c. W co a. c. Th a. c. No bi a. 		b.	Pyorubin
a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.		d.	Fluorescin
a. c. 6. W fo a. c. 7. W co a. c. 8. Th a. c. 9. No bi a.	Which culture medium is preferre	ed for pr	rocessing of urine specimens?
c. 6. W fo a. 7. W co a. c. 8. Th a. c. 9. No bi a.	mana a		CLED agar
fo a. c. 7. W co a. c. 8. Th a. c.	C1 1 .	d.	. XLD agar
 a. c. 7. W co a. c. 8. Th a. c. 9. No bi a. 	hich of the following depicts th	e decre	asing order of risk of transmission
7. W co a. c. 8. Th a. c. 9. No bi a.	ollowing occupational exposure?	2	
7. W co a. c. 8. Th a. c. 9. No bi a.			HBV>HCV>HIV
8. Th a. c. 9. No bi a.	HBV>HIV>HCV	d.	HCV>HBV>H1V
a. c. 8. Tha. c. 9. No bi a.	Which of the following IS NOT U	USED a	as indicator organism of fecal
8. Tha. c. 9. No bi a.	ontamination of water:		
8. Tha.c.9. Nobia.	Fecal E. coli		
a. c. 9. No bi a.	Pseudomonas ment years	d.d.	
9. No bi	he most effective way of preven	ting tet	anus is:
9. No bi	Hyperbaric oxygen	b.	Tetanus toxoid
bi a.	Antibiotics	d.	surgical debridement and toilet
a.	leonatal meningitis acquired through irth canal is due to:	ough co	ntaminated/ colonized/infected
		b.	Viridans streptococci
posu sc.	1. 0		S. pneumoniae
	S. agalactiae	argond o	S. pileuniomae similina o the program,
	erotyping and serosubtyping of		ococci are based on:
a.	리트(NA) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1)	b.	Endotoxin
c.	. Capsular polysaccharide	d.	Transferrin binding proteins
			2
V-210600		4]	21 099 1 00000 102030 102 1

[4]

Que. 3

RAN-2106000102030102]

2nd MBBS





RAN-2106000102030101

S. Y. M.B.B.S. Examination March - 2023

Microbiology: Paper - I

Tin	ne: 3 Hours]	[Total Marks: 100		
સૂચ•	ti:/Instructions			
(1)	નીચે દર્શાવેલ ☞ નિશાનીવાળી વિગતો ઉત્તરવહી પર અવશ્ય લખવી. Fill up strictly the details of ☞ signs on your answer book Name of the Examination:	Seat No.:		
	S. Y. M.B.B.S.	restantianCl e		
	Name of the Subject :	decizaetX - 2		
Lane.	Microbiology : Paper - I	The Mark - 28 marks		
	Subject Code No.: 2106000102030101	Student's Signature		

- (2) Draw a label diagram wherever required with blue pen/pencil only.
- (3) Short notes 100-150 words.
- (4) Write heading of each question properly.

SECTION - IA (General Microbiology and Immunology)

Que. 1 Define and differentiate Sterilization from disinfection. Explain the principle, application and control of any one method of sterilization based on heat used in patient care. Explain the concept and use of CSSD in hospitals. (12 marks)

Que. 2 Write notes. (any four)

- a. Principle, applications and modifications of Polymerase Chain Reaction in patient care.
- b. Classification, types and diagnostic modalities of Immunodeficiency diseases.
- c. Define vaccine. Describe National Immunization Schedule and the types of vaccines used in it.
- d. A girl presented in emergency with sudden onset of itching, redness and erythema following unknown bite. Identify the condition. Explain the immuno-pathogenesis of her condition.
- e. Mechanisms of transferable drug resistance in bacteria.

Que. 3	M	ultiple Choice Questions.		Berganius (10 1)
. 1	. Cr	yptococcus neoformans can be	e best d	lemonstrated by:
	a.	Gram staining	b.	Negative staining
	c.	Acid-fast staining	d.	Albert staining
				The state of the s
2	. Th	e type of microscope best suite	ed for s	studying microbial motility is:
	a.	Light microscope	b.	Electron microscope
	C.	Phase contrast microscope	d.	Atomic force microscope
3.	. Ba	cteria are uniformly stained in	which	of the following phase of growth
	cur	ve?	WIIICII	of the following phase of growth
	a.	Lag phase	b.	Log phase
	c.	Stationary phase	d.	Declining phase
				Findiporticular the condition of meningue
4.	All	of the following are the basic	steps o	f PCR cycle EXCEPT:
	a.	Denaturation	b.	Amplification
	C.	Extension	d.	Gel documentation
5	Но	cizontal transmission - C(D) C	Tand.	The agreement Acting to
5.	a.	rizontal transmission of 'R' fac Transformation		
	c.	Conjugation	b. d.	Transduction Fusion
		Conjugation	u.	Fusion
6.	If tl	ne infection occurs at a much	higher	r rate than usual in a particular
	geo	graphic area, it is known as:	mgne	race than usual in a particular
	a.	Epidemic	b.	Endemic
	c.	Hyper endemic	d.	Sporadic
-	987	ion from disinfection flxplain		A Westernalling :
7.		are agglutination reactions, EX	CEPT	
	a.	VDRL test	b.	Standard agglutination test
	C.	Widal test	d.	Paul Bunnell test
8.	T ce	ll area of lymph node is:		
	a.	Cortex	b.	Para cortical area
	c.	Medulla	d.	All of the above
			u.	All of the above
9.	Cell	type which lacks HLA antiger	is:	
	a.	Monocyte	b.	Thrombocyte
	c.	Neutrophil	d.	RBC Subsequential as
10.	A 1	institut C 1:		of vaccines used in its
10.	Appl	t in:	econd t	time from the same donor will
	a.		L Total	C Transfer and Control of the Contro
	c.		D.	Second set rejection None
		Tradition 2	u.	Notice of the attention of the second
				03
AN-2106	00010	2030101] [2]		Contd. 2
				[Conta. <u>m</u>

RAN-2106000102030101]

SECTION-IB

(Infection of Blood stream, Cardiovascular system, Gastrointestinal tract, Hepatobiliary system)

- Que. 1 A young adult female was admitted to the hospital with intense headache, abdominal discomfort for past five days. She had also developed fever which is of remittent type with gradual rise in a step ladder fashion. On examination, she was toxic with temperature of 101°F, tongue was coated and mild splenomegaly was present. (12 marks)
 - a. What is the most probable etiological diagnosis? Give justification
 - b. Describe the pathogenesis of this condition.
 - c. Explain the choice of test, sample collection and laboratory diagnosis of the condition.
 - d. Suggest preventive measures for the disease.

Que. 2 Write notes. (any four)

 $(4 \times 7 = 28 \text{ marks})$

- a. Laboratory diagnosis and Post exposure prophylaxis of HIV.
- b. Describe the pathogenesis and laboratory diagnosis of a female brought to emergency department with sunken eyes. Relatives gave history of sudden onset of watery diarrhea (15-20 times per day) without blood and mucus and abdominal pain.
- c. Mycotic food poisoning.
- d. Pyrexia of unknown origin: definition, causes and diagnostic test used
- e. Importance of effective communication skill in Doctor Patient relationship.

Que. 3 Multiple Choice Questions.

(10 marks)

- 1. Most common agent causing native valve endocarditis is:
 - a. S.aureus

b. S.epidermidis

c. Viridans streptococci

d. Enterococci

- 2. Infections causing Megaloblastic anemia include:
 - a. Babesia microti

b. Diphyllobothrium latum

c. Bartonella bacilliformis

d. Leishmania donovani

3. Antibodies against which of the following antigen appear in typhoid carrier?

a. Vi antigen

b. O antigen

c. Hantigen

d. Capsular antigen

4. Which of the following is the infective form of the malarial paras			rm of the malarial parasite to man:	
	a.	Merozoite	b.	Sporozoite
	c.	Trophozoite	d.	Gametocyte
5.	Whi	ich of the following is respon	sible for	transmission of HBV infection:
	a.	HBsAg	b.	HBeAg
	c.	HBcAg	d.	HBV DNA
6.	Sing	gle most important agent of tr	aveler's	diarrhea is:
	a.	Enterotoxigenic E. coli	b.	Enteroaggregative E. Coli
	c.	Campylobacter jejuni	d.	Non Typhoidal salmonella
7.	Wh	ich of the following is NOT a	a comme	nsal in human female genital tract?
	a.	Lactobacillus	b.	Streptococcus agalactiae
	c.	Neisseria	d.	Trichomonas vaginalis
8.	Leis	shmania donovani can be cult	ivated in	h. Describe the particulation to emergency department
	a.	Blood agar	b.	NNN medium
	c.	Diamonds medium	d.	RPMI 1640 medium
9.	Dur	ring the window period of pat	ient with	AIDS, best diagnostic test is:
	a.	ELISA	b.	Western Blot
	c.	Rapid test	d.	RT-PCR
10.	Tre	nch fever is caused by:		 Multiplex, holder Question Must common avent cause
	a.	B.henselae	b.	B.quintana
	c.	B.bacilliformis	d.	C.burnetii
			e illaco y I	





RAN-2106000102030102

S. Y. M.B.B.S. Examination March - 2023

Microbiology: Paper - II

Time: 3 Hours]	[Total Marks: 100	
સૂચના : / Instructions		
(1) નીચે દર્શાવેલ ☞ નિશાનીવાળી વિગતો ઉત્તરવહી પર અવશ્ય લખવી. Fill up strictly the details of ☞ signs on your answer book	Seat No.:	
Name of the Examination:	e resistant 5, auro	
S. Y. M.B.B.S.	Hoexoloid e	
Name of the Subject :	nile (9 ar)	
Microbiology : Paper - II	Hittoanio J	
Subject Code No.: 2106000102030102	Student's Signature	
(2) Draw a label diagram wherever required with blue pen/r	pencil only.	

- Short notes 100-15 0 words. (3)
- (4) Write heading of each question properly.

Section - 2A

(Skin and soft tissue infection, Musculoskeletal and respiratory system)

- A 35 year old female from a village of Bihar came to the hospital with Que. 1 history of fever on and off for the past one year and recently developed unilateral swelling of the left lower limb. Her blood sample was sent for peripheral blood smear examination which revealed worm like structures, 240 um in length with pointed tail tip. (12 marks)
 - Name the disease and its etiological agent.
 - Describe the life cycle, pathogenesis and laboratory diagnosis of this condition.
 - Explain prevention and treatment of this clinical condition.

Que. 2 Write notes. (any four)

- a. Etipathogensis and laboratory Diagnosis of Madura foot
- b. Etio-pathogenesis, laboratory diagnosis and complication in a man with necrotic limb wound that crepitates following a road traffic accident.

c.	Fever with rash in a child: four car aboratory diagnosis and prevention	usative n of any	organisms and lpathogenesis, one.
d.	Hospital acquired Infections: type	s, risk f	actors and preventive measures.
e.	COVID 19: Laboratory Diagnosi	s and Va	accines
3	Multiple Choice Questions.		(10 Marks)
	Which of the following is correct	about le	
1.	1EW 15101	b.	Langerhans cells are found
	a. Multibacillary c. CMI is normal	d.	Positive lepromin test
2.	Which is the most preferred antin resistant S. aureus (MRSA)?	nicrobia	l for the treatment of methicillin-
	a. Dicloxacillin	b.	Cephalexin
	c. Cefazolin	d.	Vancomycin
3.	Which of the following toxin med	diates S	calded skin syndrome:
	a. Hemolysin	b.	Coagulase
	c. Enterotoxin	d.	Epidermolytic toxin
4.	Serotyping of Streptococcus pyoprotein:	genes is	based on which of the following
	a. M protein	b.	T protein
	c. R protein	d.	Carbohydrate antigen
5	. CAMP test is useful in identifica	tion of:	
	a. S. pyogenes		S. agalactiae
	c. Viridans streptococci	d.	S. pneumoniae
6	6. Gram-stain morphology of Bacil	lus antl	nraces is:
	a. Tennis racket appearance	b.	Drum stick appearance
	c Bamboo stick appearance	d.	Spectacle glass appearance

7. Which viral infection is responsible for Subacute Sclerosing Pan

Measles

Influenza

Encephalitis (SSPE):

Rubella

a. Mumps

- 8. Which of the following is a vector for leishmaniasis:
 - a. Sandfly

b. Reduviid bug

c. Tsetse fly

- d. Anopheles mosquito
- 9. Which of the following fungus does not infect nail:
 - a. Trichophyton

b. Microsporum

c. Epidermophyton

- d. Candida albicans
- 10. Rhinosporidiosis is characterized by all of the following EXCEPT
 - a. It is caused by a fungus
 - b. The fungus is usually found in dirty waters
 - c. It manifests as polyps that bleed easily.
 - d. It can be cultured easily in laboratory.

Section - 2B (CNS, Genitourinary, HAI, Miscellaneous)

Que. 1 A 25 yr. old man presented with painless ulcer with hard base on penis. He had a history of sex with multiple partners. On examination, inguinal lymph nodes were enlarged, discrete, non-tender and rubbery. The blood specimen was collected and sent to the laboratory for serological test.

(12 marks)

- a. What is the clinical diagnosis and possible causative agent? Justify.
- b. Explain the pathogenesis and laboratory diagnosis of this condition.
- c. Enlist three possible etiological agents in case the man had multiple painful genital ulcers.

Que. 2 Write notes. (any four)

- a. A 30 years of Male with history of HIV/AIDs presented to casualty with high grade fever, Headache and seizures. CSF microscopy revealed budding yeast cells surrounded by a halo. Identify the etiological agent. Explain pathogensis and laboratory diagnosis of the condition.
- b. Encephalitis: four causative agents and pathogenesis with laboratory diagnosis of anyone.
- c. Antimicrobial stewardship program: concept and different strategies used in the program
- d. Non-tuberculosis Mycobacterium: classification and significance as human pathogen
- e. Consent: Definition, types and its importance in autonomy is autonomy?

Que. 3	Multiple Choice Questions.		(10 Ma
1.	Which of the following is the cau	isative a	gent of chancroid?
	a. Haemophilusducreyi	b.	Klebsiellagranulomatis
	c. Mycoplasma hominis	d.	Candida albicans
2.	Causative agents of non gonococ	cal uret	hritis may be:
	a. Chlamydia trachomatis	b.	Ureaplasmaurealyticum
	c. Mycoplasma genitalium	d.	All of the above
3.	Which of the following fungi are	associa	ted with zygomycosis?
	a. Mucor	b.	Rhizopus
	c. Absidia	d.	All of the above
4.	Which of the following pigment is	diagno	stic of Pseudomonas aeruginosa?
	a. Pyocyanin	b.	Pyorubin
	c. Pyomelanin	d.	Fluorescin
5.	What is significant bacteriuria?		
	a. Bacterial count >10 ⁵ per ml	d selit i	
(editta)	b. Bacterial count between 10		
	c. Bacterial count <10 ⁴ per m	1	
	d. None of the above		
6.	Which of the following depict de following occupational exposure		g order of risk of transmission
	a. HIV>HBV>HCV	b.	HBV>HIV>HCV
	c. HBV>HCV>HIV	d.	HCV>HBV>HIV
7.	Which of the following microbe fecal contamination of water:	e is NO ′	Γ used as indicator organism of
	a. Fecal E. coli	b.	Fecal streptococci
	b. Pseudomonas	d.	Vibrio cholerae
8.	The most effective way of preven	nting tet	anus is:
	a Hyperbaric oxygen	b.	Antibiotics

c. Tetanus toxoid

d. Surgical debridement and toilet

- 9. Neonatal meningitis acquired through colonized/infected birth canal is due to:
 - a. S. pyogenes
- b. Viridans streptococci
- c. S. agalactiae
- d. S. pneumoniae
- 10. Humans acquire cysticercus cellulosae infection by all of the following mechanisms, **EXCEPT:**
 - a. Ingestion of contaminated vegetables
 - b. Reverse peristalsis
 - c. Autoinfection
 - d. Ingestion of contaminated pigs meat